



## Unified Communications by innovaphone

# innovaphone

PURE IP COMMUNICATIONS

**Andreas Maier**  
**Sales Manager**



# The company

- 🐟 The company
- 🐟 Positioning on the market
- 🐟 No solution without adequate products
- 🐟 Solution scenarios by innovaphone
- 🐟 Licenses
- 🐟 Partnerportal and Forum
- 🐟 References



innovaphone



# innovaphone AG



SecurITy

made  
in  
Germany

TeleTrust Quality Seal  
[www.teletrust.de/itsmig](http://www.teletrust.de/itsmig)

- independent, medium-sized German manufacturer
- technology-oriented with high strong competences
- IP communication for companies with award winning design and intuitive handling
- founded in 1997 by present management
- based in Sindelfingen; Germany + 5 locations in Europe
- innovaphone AG is not market-listed and 100% equity-financed

**The brand name „innovaphone PBX“ represents a complete IP communication solution, including Unified Communications (UC), tailored to the needs of any company.**

innovaphone



# innovaphone Philosophy

## Best of UC-World

- **UC WebClient**
  - Chat, Presence, Video, Application Sharing
- **Mobile Integration**
- **Conferences**

## Best of PBX-World

- **Availability & Performance**
  - dedicated Software
  - on a Hardware-Appliance
- **Security**
  - not prone to viruses
- **Quality**



## Best of IP-World

- **Openness**
  - Standards up to the end device
- **Redundancy** & and most flexible spreadability via IP
- **Virtualisation**
- **Scalability**

## Innovation = innovaphone

- **Simple & efficient**
  - „keep it simple“
- **Seamless Scalability**
  - 2 to > 50.000 User – one System
- **Soft Migration**
- **WebRTC, DTLS...**

innovaphone



# Positioning on the market



## Hybrid solutions

Legacy technology with  
Switchboard and Ethernet

2 technologies have to be  
maintained

Most expensive solution in  
operation

## Software solutions

Requirement for an additional PC for  
PBX / GK

Availability based on the Operating  
System and PC

Scalability only as PC allows

Viruses? OS Patches?  
Release maintenance? Redundancy  
effort?

## Dedicated Plattform

No moving parts  
No foreign Operating System  
PC is not required

Unlimited scalability via IP  
and locations!

Easy Integration / Migration

innovaphone






**ALL IP**

*by innovaphone*



**ISDN**

# ALL IP – Soft Migration by innovaphone



# More Security





# Why is security so important?

## The market is changing rapidly:


- Employees expect to
  - be mobile
  - work with various devices (PC, Smartphone, Tablet etc.)
  - work from anywhere
- telephony is only ONE service within the collaboration
- collaboration exceeds corporate boundaries
- nowadays security is more important than ever
- **in times of All IP, security is crucial**
  - **with innovaphone, security is simple and on board free of charge!**

Security has to be addressed with UC and anywhere workplace concepts!

# More security: All IP scenario

## All IP

Security risk: The IP network of the customer must be opened towards the SIP provider!




# More security: the innovaphone SBC

## All IP

Security risk: The IP network of the customer must be opened towards the SIP provider!


**The solution: the innovaphone Session Border Controller (SBC)**



# More security: Anywhere Workplace

## Anywhere Workplace

Access from external networks → increased security risk




# More security: innovaphone Reverse Proxy

## Anywhere Workplace

Access from external networks → increased Security risk


**The solution: innovaphone Reverse Proxy**



# More security: DMZ – the full blast solution

## DMZ (Demilitarized Zone)

= A shielded zone protected by one or more firewalls



# More security: more highlights



- Encryption from end device to end device via DTLS-SRTP
- Own OS (-> low chance to be attacked)
- “Made in Germany” -> all products are developed in Germany
- A lot of security protocols:
  - Authentication protocols: EAP-TLS (certificate based)
  - TLS encryption for media data
  - ICE, STUN, TURN

SecurITy

 made  
in  
Germany

TeleTrust Quality Seal  
[www.teletrust.de/itsmig](http://www.teletrust.de/itsmig)

More Security without any additional costs and investment

# Positioning on the market

- 🐟 The company
- 🐟 Positioning on the market
- 🐟 No solution without adequate products
- 🐟 Solution scenarios by innovaphone
- 🐟 Licenses
- 🐟 Partnerportal and Forum
- 🐟 References




innovaphone





# innovaphone Product Philosophy



Ultimate Scalability & maximum Flexibility!

innovaphone



# No solution without adequate products

- 🐟 The company
- 🐟 Positioning on the market
- 🐟 No solution without adequate products
- 🐟 Solution scenarios by innovaphone
- 🐟 Licences
- 🐟 Partnerportal and Forum
- 🐟 References



innovaphone



# innovaphone complete solution



innovaphone



# VoIP Gateways / PBX




	IP311	IP411	IP811	IP0011	IP3011	IP6010	IP1130
FXO	4	x	x	x	x	x	x
FXS	2	2	x	x	x	x	x
BRI	x	2	5	x	x	1	x
PRI	x	x	x	x	1	2 / 4 E1	1
Conferencing...	x	x	10 User	x	30 User	60 User	30 User
All-in-one-box installation	50 User	50 User	200 User	500 User	500 User	500 User	x

## New generation of innovaphone VoIP Gateways :

- Faster CPU and more memory
- Modern SSD storage replaces the CF card (for Linux AP)
- Every single gateway with Linux Application Platform
- Gigabit-Ethernet
- Opus Codec for HD voice quality guaranteeing low bandwidth


# What is Opus?



# innovaphone complete solution – always the right solution


## Scalability

- ➡ from 1 to  $\infty$  User
- ➡ 1 BRI to Multi-PRI or SIP Trunk




# innovaphone Virtual Appliance - IPVA

## Common solution



## IPVA



### Your Benefit:

- no additional Costs for running an Operating System
- no additional Expenses for Installation and Training
- Performance twentyfold in Comparison to Competitors



# innovaphone complete solution



innovaphone





# New generation of IP-Phones

IP232



IP222



IP111

IP112



IP241

IP240



## For all IP phones valid:

- Functional „High End“ devices
- Power over Ethernet or external power supply
- Internal Ethernet-Switch to loop in in front of a PC (10/100/1000)
- Directories: local, central and via LDAP server
- Call forwarding, call lists, different ring tones
- Headset, speaker phone,...

innovaphone



# User Interface - Apps



reddot design award  
winner 2011



innovaphone



# Intuitive User Interface - Presence



innovaphone



# Intuitives User Interface – Webcam App

Video picture of the IP-Intercom system



# Special Phones



**Special Phones for  
rough conditions**

## **IP150**

- Housing made of blow and shock resistant Material
- deployable as a Wall or a Desktop Phone
- noticable by its Housing in red Signal Colour
- extremely loud ringing – up to 92 db(A)
- Type of Protection: IP65 (based on EN 60529)

## **Examples of Application:**

- Chemical Industry
- Mining / Tunnel Construction
- Oil Platforms
- Shipping

**Other Versions by request (e.g. ex resistant)**

# innovaphone complete solution



innovaphone



# Analogue Adapter

**IP 29**



**IP 24**



**IP 22**



**IP 29 CombiPack**



## For all Analogue Adapters valid:

- Integration of up to 8 analog devices to the VoIP Network
- Power over Ethernet
- Connection for analog Fax (T.38) and other analog devices
- mountable in 19" rack (2 Devices build one Rack Unit)



# innovaphone complete solution



innovaphone





# Mobility – IP DECT



## **IP1202 / IP1202/4**

- Base Station for up to 8 parallel Calls
- Multi-cell
- Roaming
- Automatic Hand-over
- CAP
- H.323 & SIP based Gateway/PBX
- Echo Cancellation
- Power supply via PoE or PSU

# Mobility – IP DECT devices



## IP61

- first-class Speech Quality
- central Administration and Configuration
- local, central and cross-company Directory
- Vibrating Alert
- large & illuminated Display

## IP63

- same functionality as IP61
- large, intuitive Colour Display
- Bluetooth available optionally
- in connection with Ascom Solution:
  - Push-button Alarm (Protector)
  - Messenger Functionality

# Mobility – WiFi Phone IP62



**The first WiFi Handset capable of  
Deployment in all IEEE-802.11 a/b/g/n  
Networks!**

## IP62

- first-class Speech Quality
- central Administration and Configuration
- local, central and cross-company Directory
- integrated Speakerphone
- Vibrating Alert
- Resistance to Spray, Dust & Chemicals allows for an easy Desinfection
- High-Performance Battery:
  - Active talk time: up to 15h
  - Stand-by time: up to 100h
  - Charging time: 2.5h

# innovaphone complete solution



innovaphone



# Mobility - myPBX for Android



## myPBX for Android

- Function keys similar to end device
- myPBX Favourites
- Central PBX Phonebook
- We recommend at least Android 4.1
- Available google Play  
FREE OF CHARGE!!

MyPBX for Android certainly turns the smartphone into an innovaphone device!

# Mobility – Smartphone Integration


## One Number concept



## Call Back Functionality



## Various Clients



MyPBX for Android / iOS



GSM Client



# innovaphone complete solution



innovaphone



# Changing Technology: WebRTC

- What is WebRTC?
- How does WebRTC work?
- WebRTC by innovaphone
- Advantages of WebRTC





# Changing Technology: WebRTC

## What is WebRTC?

- Real-time communication via standard web browser (Audio, Video, Collaboration...)
- Open standard within a web browser WITHOUT additional plugins

## Which Browser does support WebRTC?

- Google Chrome, Mozilla Firefox, Opera
- Not yet: Edge (Internet Explorer)
- Maybe: Safari




## Where does WebRTC come from?

- Driven by [Google](#), [Mozilla Foundation](#) and [Opera Software](#)
- WebRTC based on HTML 5 and JavaScript
- Based on various open-source codecs: Opus (Audio), VP8 (Video)

Platform independent myPBX Softwarephone

# How does WebRTC work?

- WebRTC works similar to Skype beyond corporate boundaries
  - Establishes point-to-point connections via STUN and ICE (protocols)
  - End to end encryption using DTLS (very secure)
- WebRTC works similar to Skype, but for professional business purposes (security)



# WebRTC by innovaphone

## The WebRTC solution from innovaphone

Starting from now: video and Application Sharing!



innovaphone



# WebRTC example of use 1

## Conferencing including video and Application Sharing

### Video conferencing:

- Internal and external (WebRTC) users
- Always the current speaker will be displayed
- No additional hardware necessary

### Application Sharing:

- Internal and external (WebRTC) users
- Sharing can only be initiated via a myPBX-user (launcher)
- WebRTC users can participate
- Application will be shown on every screen
- Transfer of control to external users possible
- Perfect for webinars, trainings and other similar meetings

Conferencing: video and Application Sharing also available externally!

# WebRTC example of use 2

The screenshot displays the innovaphone website with a focus on WebRTC capabilities. The header includes the innovaphone logo, a language selector set to 'english', and links for 'Contact' and 'Partner Login'. A search bar and social media icons are also present. A navigation menu lists 'IP telephony', 'Unified Communications', 'Solutions', 'Company', 'References', 'Partner', and 'Support'. The main content area is titled 'Video call to innovaphone' and features a WebRTC logo and a paragraph explaining that WebRTC enables video telephony from a web browser. Below this, there are two large video windows: 'Your innovaphone contact' showing a man in a headset, and 'Self view' showing a man in a suit holding a phone. At the bottom, there are two smaller contact cards: 'Sales' with an 'Available' status (green icon) and 'Development' with a 'Not available' status (red icon).

innovaphone  
PURE IP COMMUNICATIONS

english Contact Partner Login search ...

IP telephony Unified Communications Solutions Company References Partner Support

You are here: > Services > Videocall

## Video call to innovaphone

**WebRTC**

WebRTC enables video telephony from your web browser. If you are using an innovaphone PBX and the myPBX Toolbox, you can also offer this Call Me button and other features on your own website - just try it!

**Your innovaphone contact**

**Self view**

**Sales**  
Available

**Development**  
Not available

Customer contact via one click of the mouse

# Advantages User / Business

## Advantages of innovaphone WebRTC for users

- Plattform independent (also on Apple, Linux etc. useable)
- Secure
- Anywhere available
- No additional license (only Port / UC License)

## Advantages of innovaphone WebRTC for business

- Every customer / employee via websites / portals can become a complete user of the innovaphone PBX
- Cutting edge security
- Free of charge calls
- Only one license for an interaction

# myPBX toolbox

## **myPBX toolbox:**

= Toolbox using Javascript Library for easy integration of communication functionalities of the innovaphone PBX

- Easy application: „Call Me Button“ with video and Application Sharing
- Presence status
- Possibilities for developers to build applications such as voice, video, desktopsharing, presence information, etc. for various platforms (Lotus Notes)
- Unlimited possibilities!

We are excited to see your Ideas and Developments!

## Unified Communications





# innovaphone Applications




**Operator**



**Queue Monitor**




**Voice Recording**



**Reporting**

**@Fax**



**Faxserver**



**Application  
Plattform**



**VoiceMail**


**Conferencing**



**Conferencing**



# innovaphone UC Architecture



innovaphone



# Solution scenarios by innovaphone


- 🐟 The company
- 🐟 Positioning on the market
- 🐟 No solution without adequate products
- 🐟 **Solution scenarios by innovaphone**
- 🐟 Licenses
- 🐟 Partnerportal and Forum
- 🐟 References




innovaphone




# ALL IP – Soft Migration by innovaphone




# Solution scenario by innovaphone – Soft Migration



# Solution scenario by innovaphone – Soft Migration




# Solution scenarios by innovaphone – Redundant systems




- ISDN trunk bypassed to the second gateway
- Standby PBX automatically logs on to the active PBX - but doesn't accept any registrations as long as the active PBX is available
- All user data will be replicated continuously
- As soon as the active PBX fails, the standby PBX takes over all registrations

# Solution scenarios by innovaphone – Redundant systems







## Solution scenarios by innovaphone – Branch office




# Solution scenarios by innovaphone – Location concept



# Solution scenarios by innovaphone – soho



# Solution scenarios by innovaphone – Hosted PBX



# Licenses

- 🐟 The company
- 🐟 Positioning on the market
- 🐟 No solution without adequate products
- 🐟 Solution scenarios by innovaphone
- 🐟 Licenses
- 🐟 Partnerportal and Forum
- 🐟 References



innovaphone



# License model

## Application Licenses




## PBX Licenses



## Gateway Licenses



## UC Licenses



# Port License and Software Service Agreement

## Definition Port-License

License, that enables the general functionality of the PBX.  
A Port license is needed for every target number in the PBX,  
where devices for phone calls are registered (PBX-Object).



## A port license is needed for

- End device (Telephone, Softphone,...)
- Gateways (Analogue, ISDN, DECT)
- Trunks
- Executive (Chef-Sek)

## Overview of the Port license data and license mechanism

	Standard	from 501	from 1001	from 2001	from 5001
Port Lic	Port-Lic standard	min500	min1000	min2000	min5000
SSC	74	66	53	45	41



innovaphone



# Port License and Software Service Agreement

## Software Service Agreement (SSA):

- Allows the customer to upgrade the licenses to the latest software version in the SSA run-time
- Software Service Credits (SSC) are used as the currency for SSA
  - in the price list listed SSC are valid for one year per
- SSA-end date
  - If SSA expire or if SSA was not purchased at the beginning of the project, the double amount of SSA will be calculated at the due date
  - SSA can be extended and purchased user defined
- SSA-calculation
  - The required amount of SSC for a project can calculated easy and comfortable with the Excel price calculator and my.innovaphone

Mit SSA ist der Kunde immer auf dem aktuellen UC Stand



# Test licenses for everyone – for 3 months!

## ▪ PBX Licenses

- Port Lizenzen
- Standby Lizenzen
- IPVA Lizenzen

## ▪ UC Licenses

- myPBX
- VoiceMail
- Video
- Application Sharing
- Mobility
- Faxserver

## ▪ Application Licenses

- Operator
- Queue Monitor
- Reporting
- Voice Recording

## ▪ Interface Licenses

- BRI Lic
- PRI Lic
- DSP Channels



- ***Test Licenses in my.innovaphone***
- ***Valid up to 3 months***
- ***Complete activation of interfaces and licenses***
- ***non-recurring***

Ideal for tests!



## Licensing WebRTC

Required licenses for using WebRTC:

- Port license + myPBX license  
(respectively if requested: Video + Application Sharing or UC lic)
- WebRTC license: mandatory per voice channel that is used simultaneously via WebRTC Call

## Licensing myPBX Toolbox:

- Free of charge 😊





## Licensing example WebRTC:

Call-Me Button, that enables a call-center with 6 agents to be called:

- 6 \* Port- and UC-licenses for the users (one per agent)
- 1 \* Port- and UC-license for the button
- 6 \* WebRTC licenses

50 sales managers with a myPBX/WebRTC integration, who are occasionally communicating on the move through the innovaphone PBX via WebRTC (max. 10 simultaneously)

- 50 \* Port + UC for the users (one per sales manager)
- 10 \* WebRTC license

# Sample configurations

10 User with UC			
Product	EUR/Piece	Piece	EUR
IP411 Gateway	450,00 €	1	450,00 €
IP222 (black)	199,00 €	3	597,00 €
IP111	99,00 €	7	693,00 €
v12 Port Lic standard	49,00 €	13	673,00 €
v12 UC Lic	58,00 €	10	406,00 €
Software Service 1 year			183,20 €
<b>Total</b>			<b>3.002,20 €</b>

100 User with UC			
Product	EUR/Piece	Piece	EUR
IP3011 Gateway	1.750,00 €	1	1.750,00 €
PRI Port	700,00 €	1	700,00 €
DSP channel	30,00 €	30	900,00 €
IP29 analogue adapter (8 x a/b)	535,00 €	1	535,00 €
IP222 (black)	199,00 €	20	3.980,00 €
IP111	99,00 €	80	7.920,00 €
v12 Port Lic standard	49,00 €	109	5.341,00 €
v12 UC Lic	58,00 €	100	5.800,00 €
Software Service 1 year			1.676,60 €
<b>Total</b>			<b>28.602,60 €</b>

30 User with UC			
Product	EUR/Piece	Piece	EUR
IP811 Gateway	750,00 €	1	750,00 €
BRI Port	50,00 €	3	150,00 €
Channel License	30,00 €	6	180,00 €
IP22 analogue adapter (2 x a/b)	344,00 €	1	344,00 €
IP222 (black)	199,00 €	8	1.592,00 €
IP111	99,00 €	22	2.178,00 €
v12 Port Lic standard	49,00 €	33	1.617,00 €
v12 UC Lic	58,00 €	30	1.740,00 €
Software Service 1 year			505,20 €
<b>Total</b>			<b>9.056,20 €</b>

# Partner Portal and Forum

- 🐟 The company
- 🐟 Positioning on the market
- 🐟 No solution without adequate products
- 🐟 Solution scenarios by innovaphone
- 🐟 Licenses
- 🐟 Partnerportal and Forum
- 🐟 References




innovaphone




# innovaphone partner portal

## innovaphone partner portal:

- Informative platform exclusively for innovaphone certified partners
- Exclusive News about innovaphone and our products
- Price lists
- Price calculator
- Load calculator
- Project registration
- Access to our newsletter
- Partner downloads
- Event support
- And much more



# Pricing, licenses and more : innovaphone forum



The screenshot shows the innovaphone Forum homepage. At the top left is the forum logo with the text "innovaphone Forum" and "innovaphone ► Forum". At the top right, it says "You are currently using guest access (Login)". The main content area has a left sidebar with "Search Forums" (including a search bar and "Go!" button), "Advanced search", and "Administration" (with a link "Enregister me here"). The main content area has a header "innovaphone Forum" and a list of links: "Introduction to the innovaphone Forums" (General news and announcements as well as forum rules), "Help on using the innovaphone Forums" (Find some hints and tips how to use or ask any question related to the use of this site.), "Discussion Forums" (You've got questions? Need help? Look for something and cannot find it? Or simply want to discuss topics with fellow innovaphone users? This is your place! Note that this is primarily a forum for innovaphone users, experts and enthusiasts! So we (that is, innovaphone) may or may not respond here - but you definitely should 😊), "Discussions (English)" (English language forum.), "Discussions (German)" (German language forum.), "Suggestions (English recommended)" (You have a suggestion related to innovaphone? Submit a post here! Be sure to read the posts in "Help on using the innovaphone Forums" before.), and "Device Firmware" (with links for "Telephone UI & Functions", "PBX Features", and "Gateway"). The "Discussions (English)" and "Discussions (German)" links are circled in red.

innovaphone Forum  
innovaphone ► Forum

You are currently using guest access (Login)

**Search Forums**  
Go!  
Advanced search

**Administration**  
Enregister me here

**innovaphone Forum**

Introduction to the innovaphone Forums  
General news and announcements as well as forum rules.

Help on using the innovaphone Forums  
Find some hints and tips how to use or ask any question related to the use of this site.

**Discussion Forums**

You've got questions? Need help? Look for something and cannot find it? Or simply want to discuss topics with fellow innovaphone users? This is your place!

Note that this is primarily a forum for innovaphone users, experts and enthusiasts! So we (that is, innovaphone) may or may not respond here - but you definitely should 😊

Discussions (English)  
English language forum.

Discussions (German)  
German language forum.

**Suggestions (English recommended)**

You have a suggestion related to innovaphone? Submit a post here!  
Be sure to read the posts in [Help on using the innovaphone Forums](#) before.

**Device Firmware**

Telephone UI & Functions  
Suggestions related to the telephone user interface and functionality.


PBX Features  
Suggestions related to the PBX functionality.

Gateway

## innovaphone forum (forum.innovaphone.com)

- Accessable by all
- German or English

# Pricing, licenses and more : innovaphone forum



**innovaphone Forum**  
innovaphone ► Forum

You are currently using guest access (Login)

**Search Forums**  
Go  
Advanced search

**Administration**  
Enregister me here

**innovaphone Forum**

- Introduction to the innovaphone Forums  
General news and announcements as well as forum rules.
- Help on using the innovaphone Forums  
Find some hints and tips how to use or ask any question related to the use of this site.

**Discussion Forums**

You've got questions? Need help? Look for something and cannot find it? Or simply want to discuss topics with fellow innovaphone users? This is your place!

Note that this is primarily a forum for innovaphone users, experts and enthusiasts! So we (that is, innovaphone) may or may not respond here - but you definitely should 😊

- Discussions (English)  
English language forum.
- Discussions (German)  
German language forum.

**Suggestions (English recommended)**

You have a suggestion related to innovaphone? Submit a post here!  
Be sure to read the posts in [Help on using the innovaphone Forums](#) before.

**Device Firmware**


- Telephone UI & Functions  
Suggestions related to the telephone user interface and functionality.
- PBX Features  
Suggestions related to the PBX functionality.
- Gateway

## Suggestions

- Platform for „feature requests“
- Will be monitored and evaluated continuously by innovaphone
- Suggestions are being implemented in current Software Versions (in 12r1 app 10!!!)



# Pricing, licenses and more : innovaphone forum



The screenshot shows the innovaphone Forum website. At the top left is the forum logo with the text "innovaphone Forum" and "innovaphone ► Forum". At the top right, it says "You are currently using guest access (Login)". The main content area is divided into several sections:

- Search Forums:** Includes a search bar, a "Go!" button, and a link to "Advanced search".
- Administration:** Includes a link to "Enregister me here".
- innovaphone Forum:** A section with two links: "Introduction to the innovaphone Forums" (General news and announcements as well as forum rules.) and "Help on using the innovaphone Forums" (Find some hints and tips how to use or ask any question related to the use of this site.).
- Discussion Forums:** A section with a welcome message: "You've got questions? Need help? Look for something and cannot find it? Or simply want to discuss topics with fellow innovaphone users? This is your place!" and a note: "Note that this is primarily a forum for innovaphone users, experts and enthusiasts! So we (that is, innovaphone) may or may not respond here - but you definitely should 😊". It also includes two links: "Discussions (English)" (English language forum.) and "Discussions (German)" (German language forum.).
- Suggestions (English recommended):** A section with a message: "You have a suggestion related to innovaphone? Submit a post here! Be sure to read the posts in [Help on using the innovaphone Forums](#) before."
- Device Firmware:** A section with three links: "Telephone UI & Functions" (Suggestions related to the telephone user interface and functionality.), "PBX Features" (Suggestions related to the PBX functionality.), and "Gateway".

## Participation will be worthwhile!


- Your suggestions will be considered
- We rely on your feedback
- Keep it up!!!

# innovaphone

PURE IP COMMUNICATIONS

innovaphone AG  
Böblinger Str. 76  
71065 Sindelfingen  
Tel. +49 7031 73009-0  
[www.innovaphone.com](http://www.innovaphone.com)

Join our community



innovaphone

