



Moderne PBX Konfiguration - endlich einfach, schnell und intuitiv

ITM
Distribution

Sammelrufgruppe

Einfacher Ruf zu mehreren Teilnehmern

Sammelrufgruppe bearbeiten

Name	IT
Standort	root ▼
Nummer	88
Vor LDAP verstecken	☐
Verbundenen Endpunkt ausblenden	☒
Externe Anrufe ablehnen	☐

+ Mitglied hinzufügen

Aktionen	Mitglied
	jan.janssen ▼
	jonas.jonaitis ▼
	paul.martin ▼

Abbrechen Speichern



Rufübernahme Gruppe

Funktionstaste (einzeln / global)

Gruppenname

Beschriftung der Funktionstasten

Globale Funktionstaste verwenden ☐

[+ Benutzer hinzufügen](#)

Aktionen	Benutzer	Aktiv	Signal nach ... Sek.	Funktionstaste
	Jan Janssen	☒	☐	1
	Jean Dupont	☒	☒ 5	2
	Max Mustermann	☐	☐	1



Gruppen-Fax / -Voicemail

Group fax configuration

Name

GrpFax-1

Number

77

Location

Node01

▼

Fax Server Object

FaxApp

▼

Email addresses (fax2mail)

Group fax header configuration

Company name

ABCD

External number

+491234

Group fax users

+ Add a user

Actions	User
	mario.rossi ▼
	maiya.meikaläinen ▼
	erika.mustermann ▼
	bob.smith* ▼

Group voicemail configuration

Name

GrpVoice

Number

34

Location

Node01

Voicemail Object

Voicemail01

Email Notifications

☐

Group voicemail users


+ Add user

Actions	User
	max.mustermann ▼
	maiya.meikaläinen ▼
	bob.smith ▼



Benutzerverwaltung

- Klar strukturiert
- Anpassbare Kacheln
- Suche in Volltext und Präfix
- Duplizierung inkl. Gruppenzugehörigkeit / Lizenzen



The screenshot displays a user management application interface. At the top, there is a header bar with a '+ Neuen Benutzer anlegen' button, a search icon, and a checkbox labeled 'Sucheigenschaften als Präfix'. Below the header, the interface shows a grid of user cards. Each card represents a user and contains the following information:

- User ID:** Located at the top of each card (e.g., KDAAdmin, _TAPI_, Admin, _MASTER_, jane.doe, jean.dupont, jan.janssen, jonas.jonaitis, paul.martin, maija.meikäläinen, max.mustermann, erika.mustermann).
- Details:** A section below the ID containing 'Nummer:', 'Nachname:', and 'Vorname:' labels followed by their respective values.
- Actions:** A set of three icons (document, pencil, trash) at the bottom right of each card, used for editing or deleting the user.


The grid is organized into four columns and three rows, with a fifth column partially visible on the right. The interface is clean and modern, with a dark theme.



Benutzer manuell erstellen

Random Passwort

Automatische Einladungs-eMail



The screenshot displays a user management interface. At the top, an email template for a new user is shown, containing the following text:

Hello,

Enclosed you will find your personal access data for the myApps server (PBX). With myApps, provided you have the appropriate telephony and UC functions with your PC or smartphone:

Your myApps access data are as follows:
myApps server address: demo.pbx.de
myApps URL: <https://demo.pbx.de>
myApps username: ~~piet.pietersen~~
myApps password: please create yourself (see below)

Your new myApps password:
Your first login will be done by setting a new password. For this, please follow the "Forgot password" link on the myApps URL

Best regards,

Your Service Team |

This is a system-generated message, please do not reply! If you have any questions, please contact the helpdesk.

Below the email template, a confirmation dialog box is visible with the title "New user created". It asks, "Would you like to send an email with login instructions to the new user?". There are "No" and "Yes" buttons. To the right of the dialog, a list of checkboxes is shown, with "MyPBX" and "App(innovaphone)" checked, and "Reporting" and another "App(innovaphone)" unchecked.



Benutzer Import

- basiert auf innovaphone csv
- + Vor- und Nachname
- + Ruf- und Weiterleitung-Filter
- + innovaphone- und App-Lizenzen
- Mail-2-User
- Kontrolle auf Duplikate
- Export von Import-Fehlern

Import CSV file

[The CSV file you provide must have the layout as described here](#)
The CSV file must be encoded in UTF-8 and must contain the header row.
The process does not support importing group name and group mode fields, and only supports import of users.

Select CSV file

PBX-Designer_import-us...

Browse

+ Import

Imported 0 / 1 users

Errors

Invalid Users

Row number	Username	Error message
2	max.mustermann	PBX contains a user with the same long name
2	max.mustermann	PBX contains a user with the same phone number on the same location (node)
2	max.mustermann	PBX contains a user with the same username

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
1	&fn	&ln	&dn	&h323	&em	&pwd	&e164	&node	&pbx	&config	&filter	&diversionFilter	device/&hw	device/&text	lic/UC	lic/Voicemail	lic/Fax	lic/Mobility	lic/myPBX	lic/Video	lic/AppSharing	lic/Reporting	lic/+chat
2	Max	Mustermann	Maxi Displayname	max.mustermann	max.mustermann@pbx.de	1234ABCD&efg	11	Node01	pbx	tmpl_default_01	national	national	9033000000	Deskphone	true							true	true



Benutzer Einstellungen

- Grundinformationen
- Passwort optional; Alternativ Random-Passwort
- Anzeige der Node-Rufnummer
- Userbasierte Lizenzen
- Lizenzprüfung (keine Überbuchung)

- Ruf- und Weiterleitungs-Filter
- clip-no-screening für externe Gespräche

Allgemein

Vorname	Max
Nachname	Mustermann
Nutzername	max.mustermann
Anzeigename	Max Mustermann
E-Mail-Adresse	max.mustermann@pbx.de
Passwort	
Passwort wiederholen	
Telefonnummer	**01 55

Lizenzen Apps DECT Erweitert

☐ App(innovaphone-working)	☒ AppSharing	☐ CRM Connector	☐ CTI Client
☒ Fax	☐ Kuando+Busylight	☐ Microsoft 365 Connector	☒ Mobility
☒ MyPBX	☐ PBX Conferencing	☐ Premium Chat	☐ Queue Board App - Supervis
☐ Queue Board App - User (CM)	☐ Recorder	☐ Reporting	☐ Softphone
☒ UC	☒ Video	☒ Voicemail	

Abbrechen Speichern

Licenses Apps DECT Advanced

Location	Cloud_Demo_Lange
Configuration template	Config Admin
Blocked outbound calls	normal
Blocked diversions	normal
No answer timeout	seconds
Call waiting (knock)	☒
Call anonymous	☐
CLIP no screening (external)	☐
Hide from LDAP	☐



Provisionierungscode

- Einfache und multiple Erstellung
- Versenden per eMail
- Erstellen einer erweiterten Liste



Senden

An

Cc

Betreff

Provisioning code

Hello,

Enclosed you will find your personal provisioning code for your innovaphone product.
Provisioning code: 520 460 874 594

Best regards,
Your Service Team

This is a system-generated message, please do not reply! If you have any questions, please contact the helpdesk.

er:
25
nith

Number:
(**01) 24
Name:
Erika Mustermann

Number:
(**01) 26
Name:
Jan Janssen

Number:
(**01) 28
Name:
Jane Doe

Number:
(**01) 22
Name:
Jean Dupont

ustermann

maxi.dispaly

ame:
Max
er:
ustermann

First name:
Max
Number:
(**01) 21
Name:
Max Mustermann

Name:
Paul Martin

Name:
Sally Sixpack

Provisioning code for Mario Rossi

520 460 874 594

OK

Share by email

	A	B	C	D	E
1	first_name	last_name	username	number	provisioning_code
2	Erika	Mustermann	Erika Mustermann	24	630 026 694 332
3	Jan	Janssen	Jan Janssen	26	779 881 760 876
4	Jane	Doe	Jane Doe	28	676 326 346 790
5	Mario	Rossi	Mario Rossi	30	577 703 904 986



Verwaltung und Aufnahme von Audiodateien

 Neue Audiodatei hinzufügen

 Nehmen Sie eine neue Audiodatei auf

Aktionen	Name	Size (KB)
  	businesshours	145.493
  	busy	152.599
  	menu	96.174
  	mobile	96.174
  	moh	154.062
  	welcome	96.174


 Starte die Aufnahme

AbbrechenSpeichern



Call Flow Designer

- Kleines CallCenter mit Boardmitteln
- Einbindung von:
 - DTMF Menü
 - ACD
 - Ansagen
 - Voicemail
 - Weiterleitungen



Danke
für Ihr
Interesse



Pascal Lange

Manager Professional Service

+49 (2131) 88141 – 142

P.Lange@itm-distribution.de

The logo for ITM Distribution. The letters 'ITM' are large, bold, and 3D, with an orange-to-yellow gradient and a metallic silver border. Below them, the word 'Distribution' is written in a smaller, orange, sans-serif font, also with a 3D effect. The background is a dark blue with vertical light streaks and a network of glowing nodes and lines.